

# INDEX MAPS.

## T.7N R.1W 2<sup>nd</sup> Mer.

	201		200		200		200		199		199	
203	6	221	5	218	4	214	3	210	2	207	1	196
	222		221		217		214		210		206	
202	7	201	8	217	9	213	10	210	11	206	12	196
	222		220		217		213		209		206	
202	18	220	17	217	16	213	15	209	14	205	13	196
	223		220		216		212		209		205	
201	19	219	20	216	21	212	22	208	23	205	24	195
	223		219		215		212		208		204	
201	30	219	29	215	28	211	27	208	26	204	25	195
	223		218		215		211		207		204	
201	31	218	32	214	33	211	34	207	35	203	36	195
	199		198		198		198		197		197	

## T.8N R.1W 2<sup>nd</sup> Mer.

	231		230		230		230		229		229	
233	6	250	5	247	4	243	3	240	2	236	1	229
	250		250		247		243		239		236	
232	7	250	8	246	9	243	10	239	11	236	12	228
	251		250		246		242		239		235	
232	18	250	17	246	16	242	15	238	14	235	13	228
	251		249		245		242		238		235	
232	19	249	20	245	21	241	22	238	23	234	24	227
	251		249		245		241		237		234	
231	30	248	29	244	28	240	27	237	26	234	25	227
	252		248		244		240		237		233	
231	31	247	32	244	33	240	34	237	35	233	36	226
	226		226		226		225		225		225	

The figures on the lines refer to the page.

Township N<sup>o</sup> 8 North of Range N<sup>o</sup> 1 W. 3<sup>rd</sup> 1st Ind.  
Ch. lks South Boundary.

April 2<sup>nd</sup> 1811.

West From the cor of Towne 718 N<sup>o</sup> 1 E 11 W. 2<sup>nd</sup> 1/2  
South side of sw 36. T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W.

40.00 Set a post for the cor to 1/4 sec. from which a W. Oak  
10 in. dia bears N 83 W. 30 links dist; & a 10 in. dia  
18 in. " " N 83 E. 19 in. " "

42.00 To a Brook 8 links wide; corner S. E.

80.00 Set a post for the cor to sec. 35. 136 T. N<sup>o</sup> 8 N.  
R. N<sup>o</sup> 1 W. from which a Hick. 3 in dia bears  
N 62 E. 3 links dist; & a W. Oak 20 in. " "  
N 30 W 18 in. " " Per Hilby Oak, lands;

West On the South bounds of sw 35. T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W.

39.00 To a Brook 25 links wide; corner South.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Butternut 6 in. dia bears N 50 W 10 links dist; & a  
W. Buck 3 in. " " S 59 E 14 in. " "

80.00 Set a post for the cor. to sec. 34 & 35 T. N<sup>o</sup> 8 N. R.  
N<sup>o</sup> 1 W. from which a Buck 5 in dia bears N 72 W.  
11 links dist; and a Hick. 11 in. " " S 4 E  
21 in. " " Lands including grove; Timber  
Buck. Sugar &c.

West On the South Boundary of Twp. 34 T. N<sup>o</sup> 8 N. R. N<sup>o</sup>  
1 W.

13.50 To a Brook 8 links wide; corner N. E.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Sugar 14 in. dia bears N 31 E. 10 links dist; & a  
Buck 4 in. " " S 45 W 25 in. " "

80.00 Set a post for the cor. to sec. 33 & 34 T. N<sup>o</sup> 8 N. R.  
N<sup>o</sup> 1 W. from which a Sugar 18 in. dia bears  
N 35 W. 27 links dist; & a Buck 10 in. " "  
S 28 E 5 in. " " Land same as the last  
mile

T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 177. 2<sup>nd</sup> Mer. (Ind.)

- West On the South Boundary of sec 33 T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 177.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Hick<sup>y</sup> 8 in. dia bears N 42<sup>W</sup> 12<sup>W</sup> 12<sup>W</sup> inches dist; & a  
 Buck 9 in ~ ~ S 44<sup>E</sup> 26 in ~ ~  
 57.50 To a Brook 10 links wide; Course South.  
 80.00 Set a post for the cor. to sec. 32, 33. T. N<sup>o</sup> 8 N.  
 R. N<sup>o</sup> 177. from which a Buck 14 in. dia bears  
 N 80<sup>E</sup> 7 links dist; & a Sugar 10 in ~ ~  
 S 45<sup>W</sup> 20 in ~ ~ Sand Spr; Timber,  
 Buck, W. Oak, Hick<sup>y</sup> &c

- West On the South Boundary of sec. 32, T. N<sup>o</sup> 8. N. R. N<sup>o</sup> 177.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Hick<sup>y</sup> 13 in. dia bears N 54<sup>E</sup> 6 links dist; & a  
 Log. mode 4 in ~ ~ S 27<sup>W</sup> 23 in ~ ~  
 66.50 To a Brook 8 links wide; Course South.  
 80.00 Set a post for the cor. to sec. 31. & 32. T. N<sup>o</sup> 8 N.  
 R. N<sup>o</sup> 177. from which a Buck 4 in. dia bears  
 S 70<sup>E</sup> 12 links dist; & a Buck 4 in ~ ~  
 West 13 in ~ ~; Buck lands; poor.

- West On the South Boundary of sec. 31. T. N<sup>o</sup> 8 N.  
 R. N<sup>o</sup> 177.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Sugar 6 in. dia bears N 52<sup>E</sup> 3 links dist; & a  
 Do 4 in ~ ~ S 65<sup>W</sup> 16 in ~ ~  
 56.50 To a Brook 75 links wide; Course S. E.  
 80.00 Set a temporary post for the cor. to Town 7 & 8  
 N. R. 112. W. Land rich and level; Timber  
 Sugar, Oak, Walnut;

East Boundary: 2<sup>nd</sup> Meridian  
 North On the 2<sup>nd</sup> Mer. East Boundary of sec. 36. T. N<sup>o</sup> 8 N.  
 R. N<sup>o</sup> 177.

T. N. 8 N. R. N. 1 W. 2<sup>nd</sup> Mer (S. a.)

- 15.00 To a Brook 4 miles wide; course E.  
 25.00 " " " 4 " " " E.  
 40.00 Set a post for the cor to 14 sec. from which a  
 Buck 24 in. dia bears N 38 E. 12 miles dist; & a  
 Ironworks 9 " " " S 38 W 22 " "  
 65.00 To a Brook 4 miles wide course E.  
 70.00 " " " 21 " " " S. E.  
 80.00 Set a post for the cor to sec. 25 & 36. T. N. 8 N.  
 W. N. 1 W. from which a Sugar 12 in. dia bears  
 S 78 W. 25 miles dist; & a Lycopodium 36 " "  
 N 87 E. 25 " " " Lunde Wilby; Timber (Oak)

North On the 2<sup>nd</sup> Mer. East side of sec. 25. T. N. 8 N. R.  
 N. 1 W.

- 100 To a Brook 40 miles wide; course S. W.  
 15.00 " " " " " " " S. E.  
 35.00 " " " " " " " S. W.  
 40.00 Set a post for the cor to 14 sec. in a Brook from  
 which a Sugar 16 in. dia bears East 15 the dist;  
 by the Brook to the West.  
 45.00 To a Brook 6 miles wide; course S. W.  
 80.00 Set a post at the cor for sec. 24 & 25 T. N. 8 N.  
 W. N. 1 W. from which a Sugar 10 in. dia bears  
 N 50 E. 16 miles dist; & a Dogwood 4 " "  
 S 76 W. 23 " " " Bottom land; Timber  
 Sugar, Buck, Elm, &c

North On the 2<sup>nd</sup> Mer. East side of sec. 24 T. N. 8 N.  
 W. N. 1 W.

- 15.00 To a Brook 6 miles wide; course S. W.  
 40.00 Set a post for the cor. to 14 sec. from which a  
 W. Oak 24 in. dia bears S 82 W. 6 miles dist; & a  
 Maple 8 " " " S 78 E. 5 " "  
 50.00 To a Brook 6 miles wide; course S. W.  
 51.30 " " Sugar 16 in. dia stands in the river.  
 55.00 To a Brook - 1/2 mile wide; course S. E.



T. No. 8 N.W. No. 17. 2<sup>nd</sup> Mer. (Ind.)

Kept up the Brook to the cor. then left it to the  
West

- 80.00 Set a post for the cor. to Sec 13 & 24 T. No. 8 N.  
W. No. 17. From which a Buck 18 in. dia bears  
N 53 E. 16 links north; & a Do 18 in. -  
S 58 W 33 in. - Lands N<sup>th</sup> 1/2 mile more  
Toward Buck, Sugar, &c; 2<sup>nd</sup> 1/2 in Buck  
Heads.

North On the 2<sup>nd</sup> Mer. East Boundary of Sec 13 T. No.  
8 N.W. No. 17.

- 40.00 Set a post for the cor. to 1/4 Sec. From which a  
Buck 8 in. dia bears S 74 W. 9 links north; & a  
W Oak 12 in. - S 39 E 23 in. -

69.75 To a Sugar 15 in. dia stands in the line.

- 80.00 Set a post for the cor. to Sec 12 & 13 T. No. 8.  
N. W. No. 17. From which a Buck 12 in. dia  
bears N 20 E. 31 links north; & a Sugar 24 in. -  
- S 2 E. 60 in. - Toward Sugar lands;

North On the 2<sup>nd</sup> Mer. East Boundary of Sec. 12, T. No.  
8 N.W. No. 17.

- 15.00 To a Spruce 30 in. dia bears in the line

35.00 - - - - - Brook 3 links north; Course E.

- 40.00 Set a post for the cor. to 1/4 Sec. From which a  
W. Oak 36 in. dia bears N 10 E 12 links north; &  
Sugar 6 in. - - - S 62 E. 21 in. -

45.00 To a Brook 3 links north; Course E.

60.00 - - - - - 3 in. - - - E.

72.50 To a Sugar 14 in. dia stands in the line.

78.00 - - - - - Brook 6 links north; Course E.

- 80.00 Set a post for the cor. to Sec. 1 & 12 T. No. 8 N.W. No. 17.  
From which a Sugar 8 in. dia bears S 13 E. 6 links  
north; and a Buck 12 in. - N 16 W 26 in.  
- - - - - Sugar lands; Toward Sugar Brook &  
Oak;

T. No 8 N.R. No 17N. 2nd Mer. (Ind. 2)

North On the 2nd Mer. East Boundary of Sec 1 T. No 8 N.  
R. No 17N.

26.40 To a Sugar 15 in. dia. Stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Sug 8 in. dia. base S 64 W. 25 links dist; & a  
Post 15 in. - - - N 64 E. 34 in. -

40.20 To a Post 10 links wide; Course E.

60.00 - - - 10 in. - - - E.

80.00 To a timber post for the cor. to T. No 8 & 9 N.  
R. No 16 & 17N. Good Sugar tree lands;

Established this cor. 100 links South of the timber  
post; from which a Post 12 in. dia. base  
N 34 E. 12 links dist; & Sug 13 in. - -  
S 14 E 37 in. -

North Boundary.

April 3. 1811 Then East from the timber post  
cor. to Secs 8 & 9 N.R. No 1 & 2 W. between T. No 8 & 9  
6 miles and 1/4 4 ch. N. of the T. cor.

Corrected and marked the line N. between T. No  
8 & 9 - R. No 17N.

West On the South Boundary of Sec. 36. T. No 9 N.R. No 17N

27.00 To a Post 10 links wide; Course NE.

40.00 Set a post for the cor. to 1/4 sec. from which a  
N. Oak 30 in. dia. base N 50 W. 28 links dist; & a  
Post 12 in. - - - S 80 E 19 in. -

80.00 Set a post for the cor. to Sec. 35 & 36 T. No 9 N.R.  
No 17N from which a Post 18 in. dia. base S 70 W  
24 links dist; & a Post 10 in. - - - N 50 E  
7 in. - - - Lands cleared rich & Post timbered

West On the South Boundary of Sec. 35. T. No 9 N.R. No 17N.

40.00 Set a post for the cor. to 1/4 sec. from which a  
a Sugar 14 in. dia. base S 69 E. 13 links dist; & a  
S 11 in. - - - N 37 W 21 in. -

77.50 To a Post 8 links wide; Course N.

T. N. 8 N. R. No. 177. 2<sup>nd</sup> Mer. (Ch. 12)

80.00 Set a post for the cor. to Sec. 34 & 35 T. N. 9 N. R. No. 177. from which a Buck 12 in. dia. bears S 38 N. 31 miles dist; & a Do 11 " " " N 8 E 13 " " " Sandalwood timber & so forth same as on the last mile

---

West On the South Boundary of Sec. 34 T. N. 9 N. R. No. 177.

40.00 Set a post for the cor. to Sec. 34 from which a Log 14 in. dia. bears N 66 N. 21 miles dist; & a Do 5 " " " S 40 E. 22 " " "

71.00 To a Burr to 12 miles wide; Course N. W.

80.00 Set a post for the cor. to Sec. 33 & 34 T. N. 9 N. R. No. 177. from which a Buck 5 in. dia. bears N 39 N. 25 miles dist; and a Buck 16 " " " S 48 E. 35 " " " Sandalwood as with Timber Log & Oak;

---

West On the South Boundary of Sec. 33. T. N. 9 N. R. No. 177

40.00 Set a post for the cor. to Sec. 34. from which a Log 14 in. dia. bears N 69 E. 10 miles dist; & a Do 10 " " " S 65 N. 46 " " "

54.00 To a locate 50 miles wide; Course South.

73.50 " " " 25 " " " S. E.

80.00 Set a post for the cor. to Sec. 32, & 33. T. N. 9 N. R. No. 177. from which a Buck 20 in. dia. bears N 22 E. 12 miles dist; and a Do 36 " " " S 31 N. 36 " " "

Sandalwood timber & so forth same as on the last mile.

---

West On the South Side of Sec. 32. T. N. 9 N. R. No. 177.

40.00 Set a post for the cor. to Sec. 34. from which a Log 5 in. dia. bears S 60 E. 10 miles dist; & a Oak 14 " " " N 84 N. 18 " " "

53.50 To a Burr to 20 in. dia. Course S. E.

80.00 Set a post for the cor. to Sec. 31 & 32 from

T. N. 8 N.R. N. 1 W. 3<sup>rd</sup> Mer. Ind.

Whit a White 14 in. dia hard N 72 W. 20 the dia  
and a Buck 4 n n - S 60 E 19 n -  
First rate lands: Timber Sugar, Ash, Walnut;

- West On the South Side of Sec 31. T. N. 9 N.R. N. 1 W.  
40.00 Set a post for the cor. to 74 sec. from which a  
W Oak 16 in. dia hard S 70 E. 17 miles dist; & a  
Logwood 3 n - - N 64 W 15 n -  
80.00 Measure the Swampy part 201 in. 120 E. to the cor.  
from T. N. 8 19 N.R. 1 12 W. from which a  
Buck 13 in. dia hard S 26 E 18 miles dist; & a  
W Oak 16 n n - S 46 W 32 n -  
Good Oak Lands

## West Boundary

- North From the cor. to Town 7. 8 N.R. 1 12 W.  
on the E. 1/2 part of Sec 36. T. N. 8 N.R. N. 2 W.  
15.00 To a brook 50 miles wide; hence S.E.  
40.00 Set a post for the cor. to 74 sec. from which a  
Buck 13 in. dia hard S 60 E. 17 miles dist; & a  
Do 15 n - - N 40 W 15 n -  
55.50 To an Oak 16 in. dia hard in the river.  
80.00 Set a post for the cor. to the sec. 25 & 36 T. N. 8 N.  
R. N. 2 W. from which a Logwood 4 in. dia  
hard S 60 E. 10 miles dist; & a Buck 18 n n -  
- S 15 W. 27 n - Lands 1<sup>st</sup> rate; Timber  
Sugar Walnut Ash, &c

- North On the East Boundary of Sec. 25. T. N. 8 N.R. N. 1 W.  
16.50 To a brook 8 miles wide; hence East  
28.00 n n Buck 40 in. dia stands in the river.  
40.00 Set a post for the cor. to 74 sec from which a  
Sugar 13 in. dia hard S 34 E. 20 miles dist; & a  
Buck 8 n n - N 65 W 26 n -  
44.00 To a brook 60 the wide hence S.E.



T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 17. 2<sup>nd</sup> Mer. (Ind. a)

80.00 Set a post for the cor. to sec. 34 & 25 T. N<sup>o</sup> 8  
N.R. N<sup>o</sup> 27. From which a Sugar 13 in dia bears  
N 55 E. 11 linked dist; & a " 20 14 " " "  
S 43 W. 24 " " Lando timber & some ash the  
last mile.

North On the East Boundary of sec. 24 T. N<sup>o</sup> 8 N.R. N<sup>o</sup>  
27.

18.00 To a W. Oak 20 in. dia stands in the line

40.00 Set a post for the cor. to 1/4 sec. from which a  
Sugar 16 in. dia bears S 78 W. 14 linked dist; & a  
Buck 3 " " " S 10 E 13 " "

80.00 Set a post for the cor. to sec. 13 & 24 T. N<sup>o</sup> 8. T.  
N. N<sup>o</sup> 27. from which a Sugar 13 in. dia bears  
N 66 E. 4 linked dist; & a " 6 " " "  
N 16 W. 24 " " Lando of muddling quality  
timber Buck, Sugar, & Poplar.

North On the East Boundary of sec. 13. T. N<sup>o</sup> 8 N.R.  
N<sup>o</sup> 27.

40.00 Set a post for the cor. to 1/4 sec. from which a  
W Oak 16 in. dia. bears S 53 W. 37 linked dist; & a  
Hogwood 6 " " " N 47 E 13 " "

69.00 To a Buck 8 linked dist; Lando S.E.

78.00 " Sugar 13 linked dist. in the line.

80.00 Set a post for the cor. to sec. 12 & 13. T. N<sup>o</sup> 8 N.  
R. N<sup>o</sup> 27. from which an Ash 6 in. dia bears  
N 30 W. 11 linked dist; & an W Oak 5 " " "  
S 66 E. 18 " " Lando 2<sup>nd</sup> rate; Lando  
Oak, & Poplar.

North On the East side of sec 13 T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 27.

23.50 To a Buck 14 in. dia bears stands in the line.

35.00 To a Spring run 20 linked dist; a Rattle Snake  
den at the head

40.00 Set a post for a cor. to 1/4 sec. from a Poplar 40

T No 8 N.R. No 177. 2<sup>nd</sup> Run.

- in line bears N 65 E 8 miles dist. to Poplar 86  
 " " " N 54 W. 24 " "  
 80.00 Set a post for the cor. to Sec. 1 & 19 T. No 8. N.R.  
 No 2 W. from which a Log woods 4 mi. in line  
 S 60 W 7 miles dist; to N. Oak 30 " "  
 S 40 E. 5 " "  
 Good Oak, lands 80

- North On the East side of Sec 1 T No 8 N.R. No 27  
 28.50 To a N. Oak 36 mi in line stands in the line.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 N. Oak 10 in line bears S 56 W. 11 miles dist. to  
 Poplar 40 " " " N 31 E. 7 " "  
 57.50 To an N. Oak 30 mi in line in the line.  
 81.00 Set a temporary post for the cor. to Town 8 & 9. N.  
 No 10 2 W Good good lands. Timber Oak.

## Subdivisions

- North Western Sec. 35 & 36. T No 8 N.R. No 177.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Buck 15 mi. in line bears N 30 E. 28 miles dist; to  
 Do 15 " " " N 31 W. 32. " "  
 80.00 Set a post for the cor. to Sec. 25, 26, 35 & 36.  
 from which a Maple 10 in line, bears N 16 W 3  
 miles dist; to Buck 3 " " " S 52 W 4  
 " "  
 Good hilly, thin soil; Timber Oak, & Hickory

- East On a Mandan line between Sec. 25 & 36.  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 49.00 To a Brook 25 miles dist; across South.  
 80.06 Intersected the N & S line 10 miles N. of the post  
 for the cor. to Sec. 25 & 36.  
 Good good timber same as in the last mile.

*J. N. S. A. R. N. 17. 2nd Mar. (Ind.)*

What On a true line between Dec. 25 & 36.

4003 Got the township first at the road, early in the true  
line for the crest the 1/4 Sec. from which a  
Track 12 mi. W. bears N 59 E. 12 miles dist.

No 5 n n n S24E. 12 n n

80.06 To the first set for the cor to vol. 25, 26, 35 & 36

North Platte Jan. 25 & 26 T. No 8 N.R. No 1 W

4000 Get a just for the ore to 1/4 cu. from which a

Back 15 mi. into land N 56° W. 13 miles north to

Supra - - - - - NRE 26a -

55.00 To Brook 12 wine mids, house E.

8000 Let a post for the car. to Oct. 23, 24, 25/26

from which a Hickory 10 in. dia. beam N 80 E 16

linked with the Buck 5u ~ ~ S31 E. 11

h h h Sand, soil timber &c same as  
in the last mile.

East Austin line between Sec. 24 & 25

4000 Set a temp.  $\frac{1}{4}$  sec. first

65.58 To a Brook 15 <sup>1/2</sup> mi; Come A.M.

80.16 Intersect the N & S line 26 miles N of the post  
Set for the cor to sec. 24 & 25

Send hubby post this, I'm in Oak & Birch

Net On true line between Sep. 24 & 25

40.08 Set the timing post at the avor. curb; the true  
line for the curb to be set. From which a

Back C. m. chin band N 53 E. 25. m. no net.

Sta Wlek 15 u u - 183 E. 14 u u

80.16 To the press see for ex. to Dec. 23, 24, 25 & 26

North "Between" Sep. 23, 1924 T. No. 8 N. R. No. 1 W.

40.00 City a part for the cor. to 1/4 sec from which a

Approx 10 mi. dia. base N 5 E. 22 Mo. sub; so

No 52 - 1977.22 -





T. No. 8 N.P. No. 177. 2<sup>nd</sup> Mer. (Ch. d. e.)

West True line between Sec. 12 &amp; 13.

3978 ft. Set 1/4 sec post at the av. cor. on true line

from which a Buck 12 N 56 E. 8

Co 12 N 65 W 27

7937 Sec. Cor.

North Between Sec. 11. &amp; 12

38.00 Spring. N.P.

40.00 Set a 1/4 sec post from which a

Buck 20 mi. line N 27 E. 24

Sugar 10 a - N 54 W 36

80.00 Set a post for cor. to Sec. 1, 2, 11, 12 from which

a Buck 4 N 35 E. 4

Co 5 N 30 W 11

Sands Same

East Warm arm between 1812

40.00 Set temp. 1/4 post

78.70 Inter section the N.P. line 44 links South of the

Sec. Cor.

Sands Same

West On a true line between 1812

3935 Set 1/4 sec post at av. cor.; on the true line

from which a Buck 5 N 76 E 7

Co 6 S 76 W 20

7870 Sec. Cor.

North Between 1812

40.00 Set 1/4 sec post from which a

Ironwood 3 mi. dia N 40 E. 15

Sugar 7 - N 14 W 26

7734 Set a post on the N.P. boundary 170 links E.

of Sec. cor. from which a

Sugar 25 N 36 W. 13

Buck 14 N 45 W 5

Sands the Same

## T. No 8 N.R. No 177. 2nd Mer. (Ind.?)

- North Between Sec. 34 & 35. T. No 8 N.R. No 177.  
 17.00 To a Brook 12 miles wide; corner S.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which is  
 Buck 8 in. in diam N 13 E. 13 miles dist; & a  
 No 18 " " " S 23 N. 30 " "  
 80.00 Set a post for the cor. to Sec. 26, 27, 34 & 35 from which  
 an Oak 6 in. in diam East 15 miles dist; & a  
 No 8 " " " N 59 E. 19 " "  
 Same soil timber & c same as the last mile.

- East On a Random line between Sec. 26 & 35. T. 8 N.R. 177.  
 1.00 To a Brook 10 miles wide; corner S.W.  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
 79.80 Intersect the N & S line 10 miles S of the cor. for  
 Sec. 25, 26, 35 & 36. Same soil timber & c same

- West On a true line between Sec. 26 & 35. T. 8 N.R. No 177.  
 39.90 Set the temporary post for the cor. to  $\frac{1}{4}$  sec. at the  
 cor. on the true line. from which is  
 Sugar 10 in. in diam S 68 N. 17 miles dist; & a  
 Buck 17 " " " S 37 E. 12 " "  
 79.80 To the post for the cor. to Sec. 26, 27, 34 & 35

- North Between Sec. 26 & 27. T. No 8 N.R. No 177.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which is  
 Sugar 10 in. in diam S 4 E. 20 miles dist; & a  
 Buck 12 " " " N 31 N. 5 " "  
 80.00 Set a post for the cor. to Sec. 22, 23, 26, 27. from  
 which is Hick 18 in. in diam S 35 E. 15 miles dist;  
 maple Dogwood 5 " " " N 82 N. 4 " "  
 Same soil as on the last mile.

- East Between Sec. 23 & 26 on a Random T. No 8 N.R. 177.  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
 79.75 Intersect the N & S line 47 miles S of cor. to Sec.  
 23, 24, 25, & 26. Same the same

## T. N. 8 N. R. No 17. 2nd Mer. (Ind.)

West Between Sec. 23 & 26 On a true line: T. N. 8 N. R. No 17.  
 39.87½ Set the timber post at the aver. dist. on the true  
 line for the cor. to ¼ sec. from which a  
 Sugar 8 in. dia beam S 27 W. 24 miles east; 1 a  
 110 10 n n n N 22 W 20 n n  
 79.75 To the post set for the cor. 22, 23, 26, 27.

---

North Between Sec. 22, & 23 T. N. 8 N. R. No 17.  
 40.00 Set a post for the cor. to ¼ sec. from which a  
 Buck 10 in. dia beam S 37 E. 6 miles east; 1 a  
 N 18 n n n S 12 W. 15 n n  
 80.00 Set a post for the cor. of sec. 14, 15, 23, & 29  
 from which a Buck 6 in. dia beam N 82 E. 10 miles  
 east; 1 a Sugar 18 n n n S 11 W. 30 n  
 n Same same as the last one.

---

East On a true line between Sec. 14 & 23 T. N. 8 N. R. No 17.  
 40.00 Set a timber post for the cor. to ¼ sec.  
 79.80 Introduced N & S line 12 miles N of the post set  
 for the cor. to sec. 13, 14, 23, 24.  
 Same line timber to same as the last one.

---

West Between Sec. 14 & 23 On a true line T. N. 8 N. R. No 17.  
 39.90 Set the timber post at the aver. dist. on the true line  
 for the cor. to ¼ sec. from which a  
 Buck 6 in. dia beam S 87 E. 7 miles east; 1 a  
 Gum 20 n n n N 87 W 24 n n  
 79.80 To the cor. of sec. 14, 15, 22, & 23.

---

North Between Sec. 14 & 15 T. N. 8 N. R. No 17.  
 10.00 To a B. wood 8 miles mid; Corner West.  
 31.50 n n n 12 n n n n  
 40.70 Set a post for the cor. to ¼ sec. from which a  
 Sugar 8 in. dia beam S 34 E. 16 miles east; 1 a  
 110 10 n n n N 46 W. 6 n n  
 80.00 Set a post for the cor. to sec. 10, 11, 14, & 15

T. No 8 N.R. No 1<sup>st</sup> N. Ind. Terr. (Ind. Co.)

From which a Sugar 8 in. dia beam N 84 W 11 the  
mid; and a Log 6 in. dia N 61 E. 15 in  
Sands the same as on the last mile.

East Chalk arm line between Sect 11. & 14 T. 8 N. R. 1 W.  
33.50 To a Brook 10 miles mid; Course S W.  
40.00 Set a temp. post for the cor. to 1/4 sec.  
79.80 Intersected the N. & S. line 58 miles N. of the cor.  
Sands same as on the last mile.

West T. between Sect 11. & 14 on the true line T. 8 N. R. 1 W.  
39.90 Set a post at the cor. between the true line for the  
cor. to 1/4 sec. From which a Buck 10 in. dia beam  
S 64 E. 20 miles mid; & a Do 8 in. dia  
S 42 W. 20 in. dia  
79.80 To the cor. of Sect 10. 11. 14. 15.

North T. between Sect 10. & 11 T. No 8 N.R. No 1 W.  
33.00 To a Brook 18 miles mid; Course N.  
40.00 Set a post for the cor. to 1/4 sec. From which a  
Sugar 8 in. dia beam S 50 E. 21 miles mid; & a  
Chestnut 5 in. dia N 30 E. 5 in. dia  
42.00 To a Brook 20 miles mid; Course S.E.  
50.00 in P. Do in. dia in. dia in. dia  
58.00 in S. Do in. dia in. dia in. dia  
62.00 To a Brook 10 miles mid; Course S.E.  
80.00 Set a post for the cor. to Sect 2, 3, 10 & 11. From which  
a Buck 6 in. dia beam S 14 E. 11 miles mid; & a  
Do 6 in. dia N 61 W 14 in. dia  
Sands same as on the last mile.

East Chalk arm line between Sect 2. & 11 T. 8 N. R. No 1 W.  
3.00 To a Brook 18 miles mid; Course S W.  
12.00 in. dia Do 10 in. dia in. dia  
40.00 Set a temp. post for the cor. to 1/4 sec.  
80.12 Intersected the N. & S. line 20 miles South of the



T. No 8 N.R. No. 1 E. 2<sup>nd</sup> Mer. Sec. 2

Just set for the cor. to Sec. 1, 2, 11, 12.  
 Lands &c same as on the last mile;

West On the true line between Sec. 2 & 11. T. No 8 N.R. No. 1 E.  
 40.00 Set the temporary post at the avor. dist; in the true  
 line for the cor. to  $\frac{1}{4}$  sec. from which a  
 Beech 12 in. dia. bears N 45 W. 6 links dist; & a  
 Do 10 " " " N 9 W. 13 " "  
 56.12 To the post set for the cor. to Sec. 2, 3, 10, & 11

North Between Sec. 2 & 3. T. No 8 N.R. No. 1 E.  
 40.00 Set a post for cor. to  $\frac{1}{4}$  sec. from which a  
 Beech 18 in. dia. bears N 18 W. 9 links dist; & a  
 Do 8 " " " N 29 E. 15 " "  
 75.80 Set a post on the N. 73<sup>rd</sup> middle (309 links E.  
 of the cor. to Sec. 34, 35 T. No 9 N.R. No. 1 E.)  
 from which a Sugar 12 in. dia. bears N 60 E. 17 links  
 dist; & a Do 10 " " " N 80 W. 27.  
 ~ Lands &c timber &c same as on the last mile.

North Between Sec. 33, 34 T. No 8 N.R. No. 1 E.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Hickory 12 in. dia. bears S 34 W. 22 links dist; & a  
 Poplar 4 " " " N 80 W. 9 " "  
 80.00 Set a post for the cor. to Sec. 27, 28, 33, 34  
 from which a Beech 8 in. dia. bears N 81 E. 26 links  
 and a Do 8 " " " N 72 W. 14 " "  
 Lands rolling; timber, Walnut, Sugar, Beech, Oak  
 & Hickory

East On a Random line between Sec. 27, 34 T. No 8 N.R. No. 1 E.  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
 80.00 Intersection the N. & S. line at the post set for the  
 cor. to Sec. 26, 27, 34, & 35  
 Lands &c timber &c same as on the last mile

## T. N. 8 N. R. N. 1 W. 2nd Mer. (Ind.)

West On the true line between Sec. 27, 28 & 34 T. 8 N. R. 1 W.  
 40.00 Set the temporary post at the aver. dist. on the true line  
 for the cor. to  $\frac{1}{4}$  sec. from which a  
 Buck 29 in. dia bears S 8 E 28 miles dist; & a  
 Sugar 8 " " " S 88 W 24 " "  
 80.50 To the cor. of sec. 27, 28, 33 & 34.

---

North Between Sec. 27, 28 T. N. 8 N. R. N. 1 W.  
 26.00 To a Spring: W.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Sugar 5 in. dia bears S 27 W 18 miles dist; and a  
 Buck 4 " " " N 36 E 22, " "  
 80.00 Set a post for the cor. to sec. 21, 22, 27 & 28. from  
 which a Buck 5 in. dia bears N 26 W 6 miles dist;  
 and a No 10 " " " S 27 E 26 " "  
 Sande soil timber &c same as on the line

---

East On a Random line between Sec. 22, 27 T. N. 8 N. R.  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
 80.12 Then set the N & S line 10 miles South of the post  
 set for the cor. to sec. 22, 23, 26, & 27  
 Sande timber &c same as on the last mile.

---

West On a true line between Sec. 22, 27 T. 8 N. R. N. 1 W.  
 40.06 Set the temporary post at the aver. dist. on the true  
 line for the cor. to  $\frac{1}{4}$  sec. from which a  
 Oak 30 in dia bears N 35 E 3 miles dist; & a  
 Ash 15 " " " S 12 E 30 " "  
 80.10 To the cor. 21, 22, 27 & 28.

---

North Between Sec. 21 & 22 T. N. 8 N. R. N. 1 W.  
 30.00 To a Brook 15 miles wide; course S. W.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Sugar 12 in dia bears S 62 W 13 miles dist; & a  
 Buckeye 10 " " " N 57 W 25 " "  
 61.00 To a Brook 6 miles wide; course E.

## T. N. 8 N. R. N. 17. 2nd Twp. (Ind.)

80.00 Set a post for the cor. to Sec. 15, 16, 21, & 22  
from which a 9 inch 20 in dia beam N 15 E. 5  
miles ash; & a 100 20 in ~ ~ ~ N 8 E 30  
~ ~ Sand a little nodding into ash; Timber  
Poplar, ash, Elm & Gum

East On a Random line between Sec. 15 & 22 T. 8 N. R. 17.

7.00 To a Brook 6 miles wide; Course S.

16.00 ~ ~ ~ 30 in ~ ~ ~

40.00 Set a temporary post for the cor. to 1/4 sec.

80.00 Intersect the N & S line 10 miles S. of the post  
set for the cor. 14, 15, 22, 23

Sand soil timber &c same as the last mile.

West On the true line between Sec. 15 & 22 T. 8 N. R. 17.

40.00 Set the temporary post at the aver. ash; on the true line  
for the cor. to 1/4 sec. from which a Sugar 9 in dia  
beam N 76 W. 10 miles ash; & a No. 8 in ~

~ N 15 E. 7 ~ ~

80.00 To the post set for the cor. to Sec. 15, 16, 21, & 22

North Return Sec. 15 & 16 T. 8 N. R. N. 17.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Beam 10 in. dia beam N 27 W. 19 miles ash; & a  
No. 10 in ~ ~ ~ N 60 E. 30 ~ ~

63.00 To a Beam 12 in. dia in the line.

80.00 Set a post for the cor. to Sec. 9, 10, 15, 16, from  
which a Beam 8 in. dia beam N 60 W. 15 miles ash  
and a No. 18 in ~ ~ ~ N 57 E. 17 ~ ~  
Sand soil timber &c same as on the last mile

East On a Random line between Sec. 10 & 15 T. 8 N. R. 17.

35.00 To a Brook 7 miles wide; Course S.E.

40.00 Set a temporary post for the cor. to 1/4 sec.

41.50 To a Brook 10 miles wide; Course S.

79.76 Intersect the N & S line 11 miles N of cor. to Sec.

T. No 8 N.R. No 1-11. Quad. Tm. (Ind. a.)

10.11.14.15 Same as the same as on the last mile

West On a true line between Sec. 10 & 15 T. No 8 N.R. No 1-11.

39.88 Set a temporary post at the av. dist. on the true line for the cor. to 1/4 sec. from which a

Back 10 mi. av. line S 77° 15' N. 15' W. dist. 10

Sugar 4 n n n N 31 E. 15 n n

79.76 To the cor. of sec. 9. 10. 15. & 16.

North Between Sec. 9 & 10. T. No 8 N.R. No 1-11.

40.00 Set a post for the cor. to 1/4 sec. from which a

Back 8 mi. av. line S 48° 15' N. 15' W. dist. 10

Sugar 8 n n n N 9 E. 15 n n

54.50 To a Back 18 mi. av. line stands in the line

80.00 Set a post for the cor. to sec. 3. 4. 9. 10 from which

a Back 8 mi. av. line N 52 E. 7' W. dist. 10

No 5 n n n S 20 W. 21 n n

Same as the last mile

East On a random line between Sec. 3 & 10. T. No 8 N.R. No 1-11.

40.00 Set a temporary post for the cor. to 1/4 sec.

58.00 To a Back 10 mi. av. line; Course South.

79.66 Intersected the NPS line 22 miles North of the post set for the cor. to sec. 2, 3, 10, 11.

Same as the last mile.

West On a true line between Sec. 3 & 10 T. No 8 N.R. No 1-11.

39.83 Set the temporary post at the av. dist. on the true line for the cor. to 1/4 sec. from which a

Back 4 mi. av. line S 46 E. 34' W. dist. 10 and a No 6 n n

S 18 W. 32

79.66 To the cor.

North Between Sec. 3 & 4 T. No 8 N.R. No 1-11.

40.00 Set the post for the cor. to 1/4 sec. from which a

Back 6 mi. av. line S 5 E. 7' W. dist. 10 and a



## T. No 8 N.R. No 177. 2nd Mer. (Sud. a.)

- Back 4 mi. via base S 77 E. 11 miles creek;  
 48.50 To a Mark 30 mi. via stands in the line  
 74.50 Set a post in the N. 7 Ponds (4 37 miles East of  
 the post for cor. to sec. 33, 134 T. No 9. N.R. 177)  
 from which a Back 30 mi. via base N 20 W. 28  
 miles dist; to a Sec. 15 a - - N 30 E. 26  
 a - - Lands old timber &c same

- North Between Sec. 32, 133. T. No 8 N.R. No 177.  
 17.50 To a Spring. Course W.  
 40.00 Set a post for the cor. to 74 sec. from which an  
 Elm 12 mi. via stands for the cor.  
 57.50 To a Spring Brooks 6 miles course W.  
 80.00 Set a post for the cor. to sec. 28, 29, 32, 133 from  
 which a Sugar 12 mi. via base S 88 E 32 the dist;  
 and an Elm 18 a - - S 55 W. 14 a -  
 Lands the same as the last mile.

- East Between Sec. 28, 133. On a Random line T. No 8  
 N.R. No 177.  
 20.00 To a Brook 4 miles wide; course N.  
 40.00 Set a temporary post for the cor. to 74 sec.  
 70.50 To a Brook 10 dks wide; course N.  
 80.00 Intersected the N. & S line 28 miles North of the post  
 set for the cor. to sec. 27, 28, 33, & 34.

- West On a true line between Sec. 28 & 29. T. No 8 N.R. No 177.  
 40.00 Set the temporary post at the aver. dist on the true line  
 for the cor. to 74 sec. from which a W. Oak 8 mi. via  
 base N 82 E. 22 miles dist; to a Back 8 a - -  
 a - - N 53 E. 12 a - -  
 80.00 To the post for cor. to sec. 28, 29, 32 & 33.

- North Between Sec. 28 & 29 T. No 8 N.R. No 177.  
 7.50 To a Brook 12 miles wide; course S. W.  
 40.00 Set a post for the cor. to 74 sec from which an

T. N. 8. N. R. N. 1 W. 2nd Mer. (Ind.)

Back 4 in. via hand 410 ft. 3 linked ditch; and a  
 Elm 8 " " " N 39 E. 23 " "  
 50.00 To a Brook 25 linked ditch; Crossed S. W.  
 54.00 " " " 25 " " " S. E.  
 80.00 Set a post for the cor. of sec. 20, 21, 28, & 29. From  
 which a Walnut 15 in. via hand S 9 E 6. 11 in. via  
 and a Sugar 9 " " " N 50 W 11 " "  
 Same same as in the last mile.

East Between Sec. 20 & 21 On a Random line T. N. 8. N. R. 1 W.  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 49.50 To a Brook 25 linked ditch; Crossed S. W.  
 1/4. 50 " " " 10 " " " N. W.  
 79.90 Intersection the N. P. S. line 10 linked S. of the post  
 for the cor. of sec. 21, 22, 27, & 28.  
 Same the same as in the last mile;

West On a true line between Sec. 21 & 28 T. 8. N. R. 1 W.  
 39.95 Set the temporary post at the aver. ditch; on the true line  
 for the cor. to 1/4 sec. From which a  
 Walnut 30 in. via hand N 20 E 10 linked ditch; & a  
 Buck 35 " " " S 47 E. 25 " "  
 79.90 To the cor. of sec. 20, 21, 28 & 29

North Between Sec. 20 & 21 T. N. 8. N. R. N. 1 W.  
 40.00 Set a post for the cor. to 1/4 sec. From which a  
 Buck 8 in. via hand N 87 W. 11 linked ditch; & a  
 Do 5 " " " S 26 E. 17 " "  
 80.00 Set the post for the cor. to sec. 16, 17, 20, & 21  
 From which a Sugar 20 in. via hand S 45 E 27  
 linked ditch; and Do 18 " " " N 41 W 21  
 " " Same same as in the last mile;

East On a Random line between Sec. 16 & 21 T. 8. N. R. N. 1 W.  
 40.00 Set the temporary post for the cor. to 1/4 sec.  
 80.00 Intersection the N. P. S. line <sup>1/2 linked south of the post set</sup> for the cor. to 1/4 sec.

## T. No 8 N.R. No 1 (W. 2nd Mer. (Ind.))

15. 16, 21, &amp; 22 Same as the last mile

---

West On a true line between Sep. 16, & 21 T. No 8 N.R. 1740.00 Set the temporary post at the aver. dist on the true line  
for the cor to 1/4 sec. from which a Buck 5 mi.  
dia bears N 31 E. 4 miles dist; & ex dist 5 ~  
~ ~ ~ ~ ~ S 60 W 11 ~ ~

80.00 Set the post for the cor to Sep. 16, 17, 20, &amp; 21

---

North Between Sep. 16, & 17

10.00 To a Brook 15 miles dist; course S. W.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Buck 36 mi. dia bears N 50 W. 23 miles dist;  
& ex dist 15 ~ ~ ~ ~ S 30 E 6 ~ ~

52.00 To a Brook 10. course E.

80.00 Set a post for the cor to Sep. 8, 9, 16, & 17, from  
which a Buck 10 mi dia bears S 63 E. 28 miles  
dist; & ex dist 15 ~ ~ ~ ~ S 49 W 9 ~  
~ ~ ~ ~ Same as the last mile.

---

East On a Random line between Sep. 9, & 16.

12.00 To a Brook 10 course S. W.

32.50 ~ ~ ~ ~ 8 ~ ~ S. W.

40.00 Set a temporary post for the cor to 1/4 sec.

80.00 Intersect the N. & S. at the cor for Sep. 9, 10, 15 &  
16. Same as the last mile.

---

West Between Sep. 9, & 16 On a true line40.00 Set the temporary post at the aver. dist on the true  
line for the cor to 1/4 sec. from which a  
W. dist 15 mi. dia bears S 57 W. 7 miles dist; & ex  
dist 12 ~ ~ ~ ~ N 23 W. 26 ~ ~

80.00 Set a post for cor to Sep. 8, 9, 16, 17.

---

North Between Sep. 8 & 9

40.00 Set a post for the cor. to 1/4 sec. from which a

T. N. 8 N. R. M. 17. D. and T. (S. a. a.)

- Auger 18 in. dia bore N 75 E 11 miles dist; 10  
 Lg 15 " " " S 11 N. 47 " "  
 64.50 To a Auger 15 in dia in the line.  
 66.00 To a Brook 11 M. S. E.  
 80.00 Got a post for the cor. to Sec. 4, 5, 8, 9. from which  
 Auger 30 in dia bore S 47 N. 25 miles dist; 10  
 Lg 15 " " " S 58 N. 31 " "  
 Sands &c same as on the last mile;

- East Ch. Random line between Sec. 4 & 9  
 2.50 To a Brook 10 miles dist; E. South.  
 41.00 Got a timber post for the cor. to 1/4 Sec  
 49.58 Intersected the N. & S. line 12 miles E of the post for  
 for the cor. to Sec. 3, 4, 9, 10.  
 Sands, Soil, timber, &c same as on the last mile.

- West On a true line between Sec. 4 & 9.  
 39.79 Got the timber post at the cor. East on the true line  
 for the cor. to 1/4 Sec. from which a  
 Brook 3 in. dia bore N 55 W. 8 miles dist; 10  
 Lg 30 " " " S 42 N. 13 " "  
 1/9.58 To the first post for the cor. to Sec. 4, 5, 8, 9

- North On Between Sec. 4 & 5  
 41.00 Got a post for the cor. to 1/4 Sec from which a  
 Auger 10 in. dia bore S 53 E 17 miles dist; 10  
 Brook 36 " " " West 17 " " "  
 57.50 To a N. Oak 24 in dia in the line  
 75.80 Intersected the N. & S. boundary 261 miles East of the  
 cor. for 32, 33. T. N. 9 N. R. M. 17. & got a post  
 for cor. to Sec. 4 & 5 from which a  
 Auger 10 in dia bore S 10 N. 10 miles dist; 10  
 Lg 5 " " " N 33 N. 8 " "  
 Sands Soil timber &c same as on the last mile

North Between Sec. 31 & 32





## T. N. &amp; N. R. N. 177. 2nd Mer. (Ind. 2)

dist ant; Sound the same as on the last mile.

East On a Random line between Sep. 24 & 29

40.00 Set a trap for the cor. to 1/4 Sec

54.50 To a Brook 30 miles wide; Corner S. W.

78.62 Intersected the N & S line at Sec. cor.  
Sound the same as on the line.

West On the true line between Sep. 20 & 29

39.31 Set the trap for the cor. at the aver. dist; on the true line for the cor. to 1/4 Sec. from which a

Back 15 mi. line bears N 67 E 10 miles dist; & a

Shym 5 " " " N 63 W 22 " "

78.62 Sec. corner

North Between Sep. 19 & 20

40.00 Set a post for the cor. to 1/4 Sec. from which a

Shym 10 mi. line bears N 45 W. 8 miles dist; & a

Back 15 " " " N 44 E 28 " "

80.00 Set a post for the cor. to Sep. 17, 18, 19, 20.

from which a Back 12 1/2 mi. line bears N 49 W 46.

" " " " " " " " " N 43 E 25

Sound the same as on the last mile.

East Between Sep. 17 & 20 On a Random

1.00 To a Brook 12 mi. wide; Corner S.

40.00 Set trap for the cor. to 1/4 Sec.

72.00 To a Brook 20 miles wide; Corner S. W.

78.40 Intersected the N & S line 12 miles N of the cor.  
Sound the same

West On a true line between Sep. 17 & 20

39.20 Set the trap for the cor. at the aver. dist. on the true line for the cor. to 1/4 Sec. from which a

Back 30 mi. line bears N 47 E 18 miles dist; & a

Shym " " " " " " " " " N 39 W 19 " "

T. N. 8 N. R. N. 1 W. 2<sup>nd</sup> Mer. (Ind. 2)

78.40 To the first set for the cor. to sec. 17, 18, 19 &amp; 20

North Between Sec. 17 &amp; 18 T. N. 8 N. R. 1 W.

10.00 To a Barole 12 links wide Conca S. W.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Sugar 15 in. dia bears N 57 E. 11 links dist; & a  
Buck 8 " " " S 83 W. 9 " "80.00 Set a post for the cor. to sec. 7, 8, 17, 18. T. N. 8  
N. R. N. 1 W. from which a

Sugar 8 in. dia bears N 49 W. 4 links dist; &amp; a

Ho 4 " " " N 47 E. 18 " "

Sands, soil, timber &amp; so forth same as on the last mile;

East On a Random line between Sec. 5 &amp; 8. T. 8 N. R. 1 W.

40.00 Set a temporary post for the cor. to 1/4 sec.

79.71 Intersected the N. & S. line 65 links N. of sec. cor for  
4, 5, 8, 9.

West On a true line between Sec. 5 &amp; 8. T. N. 8 N. R. 1 W.

39.85 1/2 Set the temporary post at the avr dist; on the true  
line for the cor. to 1/4 sec. from which a

Sugar 15 in. dia bears N 24 W. 17 links dist; &amp; a

W. Walnut 30 " " " S. 2 E. 46 " "

79.71 To the first set for the cor. to sec. 5, 6, 7, 8.

North Between Sec. 5 &amp; 6 T. N. 8 N. R. N. 1 W.

40.00 Set the post for the cor. to 1/4 sec. from which a  
Sum 5 in. dia bears S 5 W. 15 like dist; and a

Ho 12 " " " S 68 W. 13 " "

73.56 Intersected the N. & S. line 280 links E. of the  
cor for sec. 31, 32 T. N. 9 N. R. N. 1 W. from which

Sugar 12 in. dia bears S 85 W. 10 links dist; &amp; a

Buck 5 " " " N 72 E. 13 " "

Sands, soil, timber same as on the last mile;

West Between Sec. 6 &amp; 7 T. N. 1 W.

East On a Random line between Sec. 8 & 17 T. N. 8. R. 17 W.  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
 79.30 Intersected the N. 1/2 line 36 miles South of the post  
 Set for the cor. to Sec. 8, 9, 16, & 17  
 Same soil and timber same as on the last mile;

---

West On the true line between Sec. 8 & 17 T. N. 8. R. 17 W.  
 39.65 Set the temporary post at the av. dist on the true line  
 for the cor. to  $\frac{1}{4}$  sec. from which a  
 Sugar 8 in. dia. trees 176 W. 14 miles dist; 8  
 do 5 " " " " 184 E. 18 " "  
 79.30 To the post set for the cor. to Sec. 7, 8, 17, 18.

---

North Between Sec. 7 & 8. T. N. 8. R. 17 W.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 W. Oak 18 in. dia. trees 19 W. 16 miles dist;  
 W. Oak 24 " " " " 42 W. 11 " "  
 74.50 To a Brook 20. miles wide; Course East  
 80.00 Set a post for the cor. to Sec. 5, 6, 7, & 8 from which  
 a Sugar 12 in. dia. trees 168 W. 25 miles dist; 5  
 do 8 " " " " 70 E. 10 " "  
 Same soil and timber same as in the last mile.

---



T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W. 2<sup>nd</sup> Mer. (Qua.)

- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Sugar 8 in. dia. bears S 12 E. 21 links dist; & a  
Buck 18 " " " N 61 W 40 " "
- 64.00 To a Brook 10 links wide; corner S.E.
- 81.70 Intersected the W. Boundary 26. links N. of the cor. to  
Sec. 1 & 12 T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 2 W. & set a post for  
the cor. to Sec. 6 & 7. from which a  
Hick 10 in. dia. bears S 9 W. 17 links dist; & a  
Logwood 3 " " " N 55 E 12 " "  
Sands soil and timber same as on the last mile

West On a true line between Sec. 7 & 18 T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W.

- 30.00 To a Brook 15 links wide; corner S.
- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Sugar 10 in. dia. bears S 11 E. 16 links dist; & a  
Hick 10 " " " N 54 W 35 " "
- 70.00 To a W. Oak; 15 in. dia. Stand in the line.
- 81.97 Intersected the W. Boundary of T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W  
196 links South of the post set for the cor. to Sec.  
12 & 13. T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 2 W. & set a post from  
which a Sugar 15 in. dia. bears S 5 E. 6 links dist; &  
a Logwood 2 " " " N 1 W. 5 " "  
Sands the same as in the last mile.

West On the true line between Sec. 18 & 19. T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W.

- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Buck 15 in. dia. bears. N 54 W. 11 links dist;  
& a Ho 8 " " " S 24 E 18 " "
- 83.40 Intersected the West. Boundary of T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W  
at the post set for the cor. to Sec. 13 & 24 T.  
N<sup>o</sup> 8 N. R. N<sup>o</sup> 2 W.

West On a true line between Sec. 19 & 30. T. N<sup>o</sup>

- 40.00 Set a post for the cor. to Sec. from which a  
Buck 18 in. dia. bears East 12 links dist; & a

T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W. 2<sup>nd</sup> Mer. (Ind.)

W. Oak 18 in. dia bears N 48 W. 10 links dist; ~~to~~  
 84.00 Intersected the N. 1 Boundary of T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W  
 42 lks South of the first set for the cor. to Sec.  
 24 & 25 T. 8 N. R. 2 W. and set a post for the  
 cor. to Sec. 19 & 30 T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 2 W. from  
 which a Sugar 10 in. dia bears N 32 W. 3 lks dist;  
 and a Do 8 " " " S 7 W. 20 " "  
 Sande same as in the last mile;

West On a true line between Sec. 30 & 31.

40.00 Set a post for the cor. to 1/4 sec from which  
 a Sugar 10 in dia bears S 83 E. 9 links dist  
 & a Buck 10 " " " N 83 W. 14 " "

41.00 To a Private. (Spring) Corner S.

49.00 To a Private 20 in. dia. Corner S. E.

83.00 Intersected the N. 1 Boundary of T. N<sup>o</sup> 8 N. R. N<sup>o</sup>  
 1 W. 2<sup>nd</sup> Mer. 31 links S. of the post the post  
 set for the cor. to Sec. 25 & 36 T. N<sup>o</sup> 8 N. R. N<sup>o</sup>  
 2 W. & set a post for the cor. to Sec. 30 & 31. T.  
 N<sup>o</sup> 8 N. R. N<sup>o</sup> 2 W. from which a  
 Buck 10 in. dia bears N 68 E. 11 links dist; & a  
 Do 8 " " " N 6 E. 16 " "  
 Sande soil timber &c same as in the last mile.

Surveyed by  
 Arthur Henric A.S.

I certify that the foregoing transcript of the field notes  
 of Township N<sup>o</sup> 8 North of Range N<sup>o</sup> 1 West of the 2<sup>nd</sup>  
 Mer. Indiana has been compared with the Original  
 notes in this Office and found to be correct.

Surveyor General's Office,

Cincinnati Nov. 14. 1839

E. S. Leary  
 Secy. Genl.